## Catch-Up Guidance for Healthy<sup>1</sup> Children 4 Months through 4 Years of Age

## Haemophilus influenzae type b Vaccines: PedvaxHIB Vaccine Only

The table below provides guidance for children whose vaccinations have been delayed. Start with the child's age and information on previous doses (previous doses must be documented and must meet minimum age requirements and minimum intervals between doses). Use this table in conjunction with table 2 of the Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger, found at www.cdc.gov/vaccines/schedules/hcp/child-adolescent.html.

| IF current age is       | AND # of previous doses is | AND   | AND   | THEN                                       | Next dose due   |  |
|-------------------------|----------------------------|---|---|--|---|--|
| 4 through<br>6 months   | 0                          | <b>→</b>  | <b>→</b>  | Give Dose 1 today                          | Give Dose 2 at least 4 weeks after<br>Dose 1  |  |
|                         | 1                          | $\rightarrow$   | It has been at least<br>4 weeks since Dose 1                      | Give Dose 2 today                          | Give Dose 3 ( <b>Final Dose</b> ) at<br>12 months of age or older   |  |
|                         |                            | <b>→</b>  | It has <b>not</b> been 4 weeks since Dose 1 No dose toda          |  | Give Dose 2 at least 4 weeks after<br>Dose 1  |  |
| 7 through<br>11 months  | 0                          | <b>→</b>  | <b>→</b>  | Give Dose 1 today                          | Give Dose 2 at least 4 weeks after<br>Dose 1  |  |
|                         | 1                          | <b>→</b>  | It has been at least<br>4 weeks since Dose 1                      | Give Dose 2 today                          | Give Dose 3 ( <b>Final Dose</b> ) at least<br>8 weeks after Dose 2 <b>and</b> at<br>12 months of age or older |  |
|                         |                            | <b>→</b>  | It has <b>not</b> been<br>4 weeks since Dose 1                    | No dose today                              | Give Dose 2 at least 4 weeks after<br>Dose 1  |  |
| 12 through<br>14 months | 0                          | <b>→</b>  | <b>→</b>  | Give Dose 1 today                          | Give Dose 2 ( <b>Final Dose</b> ) at least<br>8 weeks after Dose 1  |  |
|                         | 1                          | Dose 1 was<br>given <b>before</b><br>12 months of age | It has been at least<br>4 weeks since Dose 1                      | Give Dose 2 today                          | Give Dose 3 ( <b>Final Dose</b> ) at least<br>8 weeks after Dose 2  |  |
|                         |                            |   | It has <b>not</b> been<br>4 weeks since Dose 1                    | No dose today                              | Give Dose 2 at least 4 weeks after<br>Dose 1  |  |
|                         |                            | Dose 1 was given<br>at 12 months of<br>age or older   | It has been at least<br>8 weeks since Dose 1                      | Give Dose 2<br>( <b>Final Dose</b> ) today |   |  |
|                         |                            |   | It has <b>not</b> been<br>8 weeks since Dose 1                    | No dose today                              | Give Dose 2 ( <b>Final Dose</b> ) at least<br>8 weeks after Dose 1  |  |
|                         |                            | Dose 1 was  | It has been at least  | Give Dose 3                                | No additional doses needed  |  |
|                         |                            |   | 8 weeks since Dose 2  | ( <b>Final Dose</b> ) today                |   |  |
|                         | 2                          | Dose 1 was<br>given <b>before</b><br>12 months of age | 8 weeks since Dose 2  It has <b>not</b> been 8 weeks since Dose 2 | No dose today                              | Give Dose 3 ( <b>Final Dose</b> ) at least<br>8 weeks after Dose 2  |  |

Refer to notes of the Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger–United States, 2020, for immunization guidance for children at increased risk for *Haemophilus influenzae* type b disease.

Reference: Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger-United States, 2020. www.cdc.gov/vaccines/schedules/downloads/child/0-18yrs-child-combined-schedule.pdf



Revised February 2020 1 CS249275-M

## Catch-Up Guidance for Healthy<sup>1</sup> Children 4 Months through 4 Years of Age

## Haemophilus influenzae type b Vaccines: PedvaxHIB Vaccine Only

| IF current age is       | AND # of previous doses is | AND   | AND  | AND   | THEN  | Next dose due   |
|-------------------------|----------------------------|---|--|---|---|---|
| 15 through<br>59 months | 0                          | <b>→</b>  | <b>→</b>   | <b>→</b>  | Give Dose 1<br>( <b>Final Dose</b> )<br>today | No additional doses<br>needed   |
|                         | 1                          | Dose 1 was<br>given <b>before</b><br>12 months of<br>age    | <b>→</b>   | <b>→</b>  | Give Dose 2<br>( <b>Final Dose</b> )<br>today | No additional doses<br>needed   |
|                         |                            | Dose 1 was<br>given at<br>12 through<br>14 months of<br>age | It has been at<br>least 8 weeks<br>since Dose 1          | <b>→</b>  | Give Dose 2<br>( <b>Final Dose</b> )<br>today | No additional doses<br>needed   |
|                         |                            |   | It has <b>not</b> been<br>8 weeks since<br>Dose 1        | <b>→</b>  | No dose today                                 | Give Dose 2 ( <b>Final Dose</b> )<br>at least 8 weeks after<br>Dose 1 |
|                         |                            | Dose 1 was<br>given at<br>15 months of<br>age or older      | <b>→</b>   | <b>→</b>  | No dose today                                 | No additional doses<br>needed   |
|                         | 2                          | Dose 1 was<br>given <b>before</b><br>12 months of<br>age    | Dose 2 was<br>given <b>before</b><br>15 months of<br>age | It has been at<br>least 8 weeks<br>since Dose 2   | Give Dose 3<br>( <b>Final Dose</b> )<br>today | No additional doses<br>needed   |
|                         |                            |   |  | It has <b>not</b> been<br>8 weeks since<br>Dose 2 | No dose today                                 | Give dose 3 ( <b>Final Dose</b> )<br>at least 8 weeks after<br>Dose 2 |
|                         |                            |   | Dose 2 was<br>given at<br>15 months of<br>age or older   | <b>→</b>  | No dose today                                 | No additional doses<br>needed   |
|                         |                            | Dose 1 was<br>given at<br>12 months or<br>older             | <b>→</b>   | <b>→</b>  | No dose today                                 | No additional doses<br>needed   |

<sup>&</sup>lt;sup>1</sup>Refer to notes of the Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger–United States, 2020, for immunization guidance for children at increased risk for *Haemophilus influenzae* type b disease.

Reference: Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger-United States, 2020.  $\underline{www.cdc.gov/vaccines/schedules/downloads/child/O-18yrs-child-combined-schedule.pdf}$